





FLAVOR

Origin: Matera, Italy

Design philosophy: Each texture of the product contains years of baptism, giving out intoxicating fragrance. This is the flavor of life, classical but fresh, coming from the sacred and profound Matera.

5



Matera

Ancient villages Deep caves
The marks of years spread on every piece of stones in Matera
It is a stone city with thousands years of civilization
Roughness, massiness, vicissitudes, but flavor remains













This is a the place with flavor
The simplicity of history, the joy of life Melts as
the most strong alcohol
As fascinating as vintage wine







FLAVOR-L

FLOOR: 600X600mm WALL: 300X600mm MOSAIC: FLAVOR-L-MA17





FLAVOR-L FLOOR: 300X900mm





FLAVOR-L FLOOR: 150X300mm



FLAVOR-L FLOOR: 200X300mm















FLAVOR-Y MOSAIC: FLAVOR-Y-MA3





FLAVOR-Y
FLOOR: 300X600mm
600X600mm
MOSAIC: FLAVOR-Y-MA10





FLAVOR-Y
FLOOR: 600X900mm
600X600mm
300X300mm

FLAVOR-B FLOOR: 200X200mm





FLAVOR-Y FLOOR: 600X600mm 400X400mm







FLAVOR FLOOR: 200X600mm 150X600mm












FLAVOR

FLOOR: 600X600mm WALL:300X600mm MOSAIC:FLAVOR-Y-MA15 MOSAIC:FLAVOR-Y-MA2










FLAVOR-B FLOOR: 300X600mm







FLAVOR-B FLOOR: 150X300mm



FLAVOR-B FLOOR: 200X600mm/300X600mm





FLAVOR-D

Multiple layouts reproduce the lively texture of natural rock to heighten natural effect after installing.






FLAVOR-D WALL: 600X600mm

ROCK ITALY ROCK NATURAL TEXTURE & COLOR

SURFACE



LAPATO (S)



GRANIGLIA (FINE GRAINED) (G)



MATT (M)

CORE TECHNOLOGY



Micro-Engraving Technology* Represent the lively technological Originated from Rally design , Italy Rock series has adapted the micro-engraving technology to represent the texture effect on the surface of the titles, levely as restourings.



Numerous surface in One Rock "Heighten the natural effect with multiple layouts traly Rock series has adopted multi-edition positional autput technology to guarantee numerous layouts in every product and used various compound techniques to produce multiple surface affect, heighten the nature effect after installing.



Three-Dimensional Inkjet Technology - Reproduce Nature color Using the advanced inkjet equipment and glaze technology to extend the color gamut, the natural color of Rock has been reproduced in Nanogress Italy Rock series.



High Definition Effect -Reproduce a real rock tally Rock, originated from tally as its name suggests, realistically reproduces the natural landscape of rock in Italy with its vivid and multiple surface.



SIZE (mm) FLAVOR-L 600X900 24'X36' 200X900 8'X36' 600X600 24'X24' 300X600 12'X24'















FLAVOR-Y-MA2

300X300mm

FLAVOR-Y

600X900 24'X36'

200X900 8'X36'

600X600 24'X24'



285X285mm





285X285mm

FLAVOR

600X900 24'X36'


200X900 8'X36'

600X600 24'X24'

300X600 12'X24'

300X300mm





FLAVOR-B

600X900 24'X36'

200X900 8'X36'





TECHNICAL SPECIFICATION

	DESCRIPTION	STANDARD OF TEST	ISO STANDARD REQUIR	NANOGRESS STANDARD		
	SIZES	ISO 10545.2	LENGTH AND WIDTH THICKNESS EDGE CURVATURE CENTER CURVATURE WARPAGE	± 0,6% ± 5% ± 0,5% ± 0,6% ± 0,6%	±0.2% ±2% ±0.2% ±0.2% ±0.2%	
000	WATER ABSORPTION	ISO 10545. 3	E 50.5%		0.03%	
1	STRENGTH	ISO 10545. 4	MODULS OF RUPTURE BREAKING STRENGTH	R≥35/MM ² \$≥1300N	55N/MM [*] >1700N	
8	SURFACE ABRASION	ISO 10545. 7	ACCORDING TO MANUFAC	MIN PEI 3		
	COEFFICIENT OF LINEAR THERMAL EXPANSION	ISO 10545. 8	TEST METHOD AVAILABLE	6.5X10°C"		
W)	RESISTANCE OF THERMAL SHOCK	ISO 10545. 9	TEST METHOD AVAILABLE	GUARANTEED		
\$ \text{\te}\}\text{\te}\tint{\texi}\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\text{\texi}\text{\texit{\texi}\text{\text{\text{\texi}\text{\text{\text{\text{\tex{	FROST RESISTANCE	ISO 10545. 12	REQUIRED	REQUIRED		
	CHEMICAL RESISTANCE	ISO 10545. 13	MANUF.TO STATE		MANUF. TO STATE	
	STAIN RESISTANCE	ISO 10545. 14	CLASS 3 MIN		CLASS 3 MIN	

PACKING DETAILS

\$12E (mm)	PGS/BGK	W:/80E	K65/80X	BOKES/PALLET	PGS/PALLET	BY/PALLET	KGS/PALLET	BOXES/CNT	M-/CNT	KGS/CNT
	8	8	(4)							
15EX300 (10F	10	1, 35	32. 10	36	360	48.60	1156	828	1117.80	26579
200X900 FXSF	,	1. 62	38.50	40	360	64.80	1540	700	1134.00	26950
30EX300 1210F	4	1.08	27.50	56	224	60, 48	1540	952	1028. 16	26180
600X300 34X30	3	1.62	38. 50	40	120	64. 80	1540	700	1134.00	26950
900X900 36'X36'	2	1.62	42	38	76	61.56	1596	608	984.96	25536
900X450 36'816'	4	1. 62	43	44	176	71. 28	1892	616	997. 92	26488
15EXX00 ETGE	11	0, 99	22.50	54	594	53. 46	1215	1188	1176.12	26730
30EX300	- 11	0.99	22. 50	54	594	53. 46	1215	1188	1176.12	26730
300X600		1. 44	32.50	40	320	57.60	1300	820	1180.80	26880
60EX600 31335	•	1, 44	32. 60	40	160	57. 60	1300	820	1180.80	26880
600X1200 34X4E	ž	1. 44	41.50	52	104	74.88	2184	635	914.40	26670
900X1800 30X72*	2	3, 24	62.00	30	60	97. 20	1890	420	1360.80	26460

The above info is for reference only













general@nanogress.com